



P2010 TDI

Single-Engine Aircraft



Soar Higher



QUALITY AIRCRAFT SINCE 1948

TECNAM

Improving perfection. Now with Jet-A1

The P2010 TDI is where performance and comfort meet in one complete IFR package. 4 seats; 3 passenger doors; 1 baggage door.

Continental CD-170. Metal wings, landing gear and stabilator. Carbon fibre fuselage. Balanced controls. Unsurpassed stability.

With the P2010TDI your holidays will have a different taste.

The state-of-the-art Tecnam P TwentyTen is the most advanced high-win single-engine aircraft in the marketplace, today with Continental CD-170 Jet-A1 engine. This four-seater aircraft combines together an advanced technology fuselage entirely in carbon fibre with a metal wing and stabilator, an expansive cabin featuring ergonomic front and rear seats with exceptional legroom and a separate third entry door.

The wide composite cabin allows for a large instrument panel with state-of-art avionics options: twin screen G1000 NXi IFR flat-panel Suite with integrated GFC700 autopilot.

An aircraft that burns just 5.2 US Gal per hour (less than 20 litres) is no longer just a dream. It is no longer a dream to cover almost 1,000nm or stay airborne for more than 14 hours with the full-tank capacity of 63 US Gal (240 litres).

The CD-170 engine grants excellent high-altitude performance with a fast cruise above 140 KTAS at 10,000ft and a service ceiling of 18,000 ft.

The best way to reach your favorite destinations and live unforgettable moments.





“Manufacturing an aircraft is not just a job, it is a challenge for perfection, driven by infinite passion and dedication.”

Paolo Pascale Langer, CEO



Tangible Proof

Tecnam's choice of Jet-A1 fuel offers the following benefits:

- Reliability and safety thanks to the redundant FADEC system (Full Authority Digital Engine Control) without mechanical back-up;
- Significantly lower operating costs due to lower consumption and lower fuel prices for kerosene in many countries;
- Comfortable operation;
- Jet fuel, same as for civil and military jet aircraft;
- Compliance with U.S. DoD requirements: one single fuel;
- Continental CD-170 HP guarantees exceptional performance and consumption;
- Payload and range improvement;
- Instant start;
- Alternative choice where Avgas is unavailable.

The P2010 TDI is ready to bring to your destination with Sustainable Aviation Fuels (SAF) which can save up to 80% net CO₂ emissions.

Discover our commitment to sustainable flight



Design Weight and Loading

Maximum Take-Off Weight	2,646 lb	1,200 kg
Empty Weight, Standard	1,803 lb	818 kg
Useful Load	843 lb	382 kg
Baggage Allowance	88 lb	40 kg

The P2010 TDI is the aircraft with the longest range and lowest consumption in the Tecnam fleet.

Performance

Continental CD-170 170 hp
3B Variable Pitch Propeller

Max Cruise Speed KTAS	140 kts	259 km/h
Stall Speed (Flaps Down Power Off) KCAS	53 kts	98 km/h
Max Operating Altitude	18,000 ft	5,486 m
Take-Off Run	1,394 ft	425 m
Take-Off Distance	2,211 ft	674 m
Rate of Climb	740 ft/min	3.76 m/sec
Landing Run	886 ft	270 m
Landing Distance	1,791 ft	546 m
Range	961 nm	1,780 km
Approved fuel	Jet A1 Diesel	

Typical Mission Example

Fuel

Occupants +
Luggage

400 nm FL90 Mission [MTOW] 75% PWR	24.3 USG - 92 lt	639 lb - 290 kg
600 nm FL90 Mission [MTOW] 75% PWR	34.4 USG - 130 lt	573 lb - 260 kg

Mission #	% PWR	Fuel Consumption	Speed
1	75%	6.6 USG/h - 25 lt/h	127 ktas (6,000ft)
			132 ktas (9,000ft)
2	60%	5.2 USG/h - 19.5 lt/h	110 ktas (6,000ft)
			115 ktas (9,000ft)

Standard equipment

Garmin G1000 Nxi

G1000 Nxi Integrated Flight Deck System, includes:

- GDU 1050 10-inches PFD
- GDU 1054 10-inches MFD
- Dual GEA 71B Engine & Airframe unit
- Dual GIA 64WAAS Com/nav/GPS/GS/Loc
- GMA1360 Digital audio system
- GMU44B Magnetometer
- GDC72 Air data computer
- GRS79 AHRS
- GTP59 OAT
- GTX345R Mode S Transponder (ADS-B In and OUT)
- GFC 700 Autopilot Including Electronic Stability & Protection (ESP)

Flight instruments and indicators

- Magnetic Compass
- MD 302 Standby Attitude Module
- Pitot System Heated
- Static System
- Alternate Static Source
- Stall Warning Audible
- Stabilator Trim Position Indicator
- Rudder Trim Position Indicator

Flight controls

- Hydraulic Toe Brakes
- Parking Brake
- Electrical Flaps
- Dual Flight Controls
- Castering Nose Wheel
- Aileron Lock and Elevator Lock
- Flight Trim Controls
 - Rudder with Indicator
 - Stabilator with Indicator
- Engine Controls:
 - Power
 - Alternate Air
 - Fuel Control Selector with LH/RH/OFF

Electrical system

- Alternator, 28 Volt, 60 Amp
- Battery, 24 Volt 8.0 AH
- Rocker Switches:
 - Master Switch
 - Fuel Pump
 - Landing Light
 - Taxi Light
 - Navigation Lights
 - Strobe Light
- External Power Supply Receptacle
- Circuit Breaker Panel
- Static Discharge Wicks
- Landing/Taxi Light LED

Interior

- Pilot and Co-Pilot Seats Leather:
 - Adjustable Fore and Aft
 - Electric Vertical Adjustment
- Two Rear Passenger Seats Leather
- Seat Belts & Shoulder Harness, All Seats
- Wall To Wall Carpeting
- Hand Held Fire Extinguisher
- Map & Storage Pockets
- USB socket Type C
- Radio Call Plate
- Tow Bar
- Soundproofing
- Luggage Compartments
- Overhead Cockpit Speaker
- Four Position Intercom System
- First Aid Kit

Powerplant and Propeller

- Continental CD170 Jet-A1
- Tubular Steel Engine Mount
- Engine Driven Vacuum Pump
- Alternate Engine Air
- FADEC Power Lever
- Mixture Control
- MT - Constant speed propeller 3 blades
- Propeller Spinner
- Electric Starter

Fuel system

- Two Integral Fuel Tanks With 240 Litres (64 UsGal) Total Capacity
- Engine Driven Fuel Pump
- Auxiliary Fuel Pump, Electric
- Fuel Tank Quick Drain
- Fuel Selector Valve, Left/Right/Off

Exterior

- Epoxy Corrosion Proofing, All Structure
- LH/RH Front Door Pilot/Co-Pilot, Lock and Key
- Rh Rear Door Passenger
- Rh Baggage Door With Lock
- Rear Window
- All Lateral Windows Tinted
- Fixed Landing Gear
- White Polyurethane Exterior Paint
- Tie Down Rings
- Main Wheels, 6.00 X 6
- Nose Wheel, 5.00 X 5

Exteriors lights

- Nav. Lights LED with Strobe Aveo Full LED TSO
- Landing/Taxi Light LED

Cabin comfort system

- Windshield Defroster
- Ventilator adjustable, 4 Place
- Heating System
- Soundproofing
- Cabin Monoxide Detection System

Product Support/Documents

- Manufacturer's Full Two Year Limited Warranty
- Pilot's Operation Handbook
- Maintenance Manual
- Parts Catalog
- Aircraft Log Book
- Engine Log Book

Standard Avionics Package

also includes:

- Altitude Encoder
- Avionics Master Switch
- Mic & Phone Jacks / Lemo Plug Pilot/Copilot/Passengers
- Hand Held Microphone
- Avionics Circuit Breaker Panel
- Pilot And Co-Pilot PTT
- ELT 406

Antennas:

- Marker Beacon Antenna
- Transponder Antenna
- VHF Antenna
- NAV Antenna
- Emergency Locator Transmitter Antenna



“When we design an aircraft, we don’t look at our heritage to check what we have already done, we look to our future to determine what we still need to do.”

Giovanni Pascale Langer, Managing Director



Contact us or find us online

 +1 (863) 655-2400

 sales.usa@tecnam.com
info@tecnam.com

 www.tecnam.com



Specifications, weights, representations, colors, list of equipment, use of materials and model references listed herein are not warranted or guaranteed to be true or accurate. Actual useful load will vary depending on options installed on the aircraft. Always consult specific aircraft weight and balance parameters and data for flight planning. The pictures contained in this brochure of specific models or other products may contain optional equipment or nonstandard features, which even if available may be at an additional cost. Some optional equipment may require separate paid subscriptions from third-party providers. You may rely only upon statements and representations contained in actual contracts that you enter into with TECNAM. Referenced TECNAM trademarks are owned by Costruzioni Aeronautiche TECNAM SpA or its subsidiaries. All other brands, product names, company names, trademarks and service marks are the properties of their respective owners. All rights reserved. ©2021, Costruzioni Aeronautiche TECNAM SpA.



Costruzioni Aeronautiche Tecnam SpA
via Maiorise 81043 Capua (CE) - Italy